

Pillsbury Winthrop Shaw Pittman...

Tel 202.663.8000 www.pillsburylaw.com

Kathryn R. Schmeltzer 202.663.8000 kathryn.schmeltzer@pillsburylaw.com

June 28, 2006

Via Electronic Filing and Courier to Mellon Bank

Marlene H. Dortch Secretary Federal Communications Commission 445 12th Street, S.W. Washington, DC 20554

Re:

Request for Modification and Extension of Special Temporary Authority and Request for Waiver of the Replication/Maximization Interference

Protection Deadline

FCC File No. BEDSTA-20060120AEG WSTR-DT, Cincinnati, Ohio (FIN: 11204)

MB Docket No. 03-15

Dear Ms. Dortch:

WSTR Licensee, Inc., the permittee of WSTR-DT, Cincinnati, Ohio (the "Station"), hereby seeks modification and extension of the above-referenced authorization for Special Temporary Authority ("STA"), which was granted on February 16, 2006 and expires on July 1, 2006. The Station also intends to submit an application for modification of its Construction Permit ("CP"), File No. BPCDT-19991014ABC. Grant of the STA modification and extension request is necessary to permit the Station to continue to meets its DTV service commitment pending FCC action on the CP modification application. Because the Station's operations under the modified STA come close, but do not precisely meet the applicable replication/maximization requirements, the Marlene H. Dortch June 28, 2006 Page 2

Station requests a waiver of its replication/maximization interference protection deadline, as instructed by the FCC's recent Public Notice.¹

As explained in the attached engineering statement, because of tower limitations the Station has side-mounted its digital antenna. The Station's use of a substitute antenna also prevents the Station from matching the precise replication/maximization service area authorized in the CP. Nonetheless, with an increase in ERP, as proposed in the CP modification application to be filed, the Station can fully meet its replication/maximization requirement. For these reasons, the FCC should grant the waiver request.

Attached hereto are the following items:

Tech Box of Section III (DTV engineering) of FCC Form 301 providing the technical parameters requested,

Preparer's Certification (Section III) of the FCC Form 301,

An Anti-Drug Certification,

FCC Form 159, and

A check payable to the Federal Communications Commission in the amount of One Hundred and Fifty Dollars.

If there are any questions concerning this request, please communicate with the undersigned.

__

¹ See DA 06-1255, at 4 (June 14, 2006).

Marlene H. Dortch June 28, 2006 Page 3

Very truly yours,

Kathryn R Schmeltzer

Tony Lin

Counsel for WSTR Licensee, Inc.

Attachments

cc: (by hand delivery w/attachments)

Keith Larson Shaun Maher Clay Pendarvis

533070-000-0020

ANTI-DRUG ABUSE ACT CERTIFICATION

The applicant certifies that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits pursuant to section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. §862, or, in the case of a non-individual applicant (e.g. corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. §1.2002(b).

•		Yes Yes	□ No		
	Licensee, Inc. f Applicant		Signature	Savil	Sport
Date	6/22/2006		Secretary, T	reasurer	



TECHNICAL EXHIBIT
IN SUPPORT OF A REQUEST FOR
MODIFICATION OF
SPECIAL TEMPORARY AUTHORIZATION
BEDSTA-20060120AEG
DTV STATION
WSTR-DT - CINCINNATI, OHIO
CHANNEL 33 - 500 kW - 319 m HAAT

JUNE 2006

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

Typed or Printed Name of Person Signing	Typed or Printed Title of Person Signing
Signature	Date

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

SECTION III PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name		Relationship to Applicant (e.g., Co	nsulting Engineer)			
John E. Hidle P.E.		Consulting Engineer				
Signature Shidle	Date					
Mailing Address						
7901 Yarnwood Court						
City	State or Co	ountry (if foreign address)	ZIP Code			
Springfield	Virgin					
Telephone Number (include area code)	E-Mail Ad	dress (if available)				
703-569-7704	jhidle	jhidle@ctjc.com				

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).



SECTION III-D - DTV Engineering

Complete Questions 1-5 of the Certification Checklist and provide all data and information for the proposed facility, as requested in Technical Specifications, Items 1-13.

Certification Checklist: A correct answer of "Yes" to all of the questions below will ensure an expeditious grant of a construction permit. However, if the proposed facility is located within the Canadian or Mexican borders, coordination of the proposal under the appropriate treaties may be required prior to grant of the application. An answer of "No" will require additional evaluation of the applicable information in this form before a construction permit can be granted.

1.	The proposed DTV facility complies with 47 C.F.R. Section 73.622 in the following respects:	
	(a) It will operate on the DTV channel for this station as established in 47 C.F.R. Section 73.622.	X Yes No
	(b) It will operate from a transmitting antenna located within 5.0 km (3.1 miles) of the DTV reference site for this station as established in 47 C.F.R. Section 73.622.	X Yes No
	(c) It will operate with an effective radiated power (ERP) and antenna height above average terrain (HAAT) that do not exceed the DTV reference ERP and HAAT for this station as established in 47 C.F.R. Section 73.622.	Yes X No
2.	The proposed facility will not have a significant environmental impact, including exposure of workers or the general public to levels of RF radiation exceeding the applicable health and safety guidelines, and therefore will not come within 47 C.F.R. Section 1.1307.	X Yes No
	Applicant must submit the Exhibit called for in Item 13.	
3.	Pursuant to 47 C.F.R. Section 73.625, the DTV coverage contour of the proposed facility will encompass the allotted principal community.	X Yes No
4.	The requirements of 47 C.F.R. Section 73.1030 regarding notification to radio astronomy installations, radio receiving installations and FCC monitoring stations have either been satisfied or are not applicable.	X Yes No
5.	The antenna structure to be used by this facility has been registered by the Commission and will not require reregistration to support the proposed antenna, OR the FAA has previously determined that the proposed structure will not adversely effect safety in air navigation and this structure qualifies for later registration under the Commission's phased registration plan, OR the proposed installation on this structure does not require notification to the FAA pursuant to 47 C.F.R. Section 17.7.	X Yes No

SECTION III-D DTV Engineering

TECHNICAL SPECIFICATIONS

Ensure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded. All items must be completed. The response "on file" is not acceptable.

TECH BOX

1.	Channel Number: DTV 33 Analog TV, if any 64									
2.	Zone: XI III III									
3.	Antenna Location Coordinates: (NAD 27) 39 ° 12 ' 01 " XN S Latitude 84 ° 31 ' 22 " E XW Longitude									
4.	4. Antenna Structure Registration Number: 1014132									
	Not applicable FAA Notification Filed with FAA									
5.	Antenna Location Site Elevation Above Mean Sea Level: 273 meters									
6.	Overall Tower Height Above Ground Level: 291 meters									
7.	Height of Radiation Center Above Ground Level: 265.8 meters									
8.	Height of Radiation Center Above Average Terrain: 319 meters									
9.	Maximum Effective Radiated Power (average power): 500 kW									
10.	Antenna Specifications:									
	Manufacturer Model									
	a. Dielectric TFU-24DSB-M (C)									
	b. Electrical Beam Tilt: 1.00 degrees Not Applicable									
	c. Mechanical Beam Tilt:degrees toward azimuthdegrees True X Not Applicable									
	Attach as an Exhibit all data specified in 47 C.F.R. Section 73.625(c).									
	d. Polarization: X Horizontal Circular Elliptical									

TECH BOX

	e. Directional Antenna Relative Field Values: Rotation:°				Not applicable (Nondirectional) X No rotation							
	Degree	Value	Degree	Value	Degree	Value	Degree	Value	Degree	Value	Degree	Value
	0	.940	60	.392	120	.227	180	.599	240	.998	300	.908
	10	.865	70	.280	130	.183	190	.688	250	.976	310	.921
	20	.775	80	.197	140	.194	200	.778	260	.944	320	.942
	30	.684	90	.184	150	.278	210	.873	270	.918	330	.974
	40	.593	100	.226	160	.393	220	.951	280	.901	340	.995
Į	50	.497	110	.257	170	.502	230	.993	290	.895	350	.985
	Additiona Azimuths	l	236	1.000								
11	If a directional antenna is proposed, the requirements of 47 C.F.R. Section 73.625(c) Exhibit No. 1-5 1. Does the proposed facility satisfy the interference protection provisions of 47 C.F.R. Section 73.623(a)? (Applicable only if Certification Checklist Items 1(a), (b), or (c) are answered "No.") If "No," attach as an Exhibit justification therefor, including a summary of any related previously granted waivers. Exhibit No. Exhibit No.									No.		
12	2. If the proposed facility will not satisfy the coverage requirement of 47 C.F.R. Section 73.625, attach as an Exhibit justification therefor. (Applicable only if Certification Checklist Item 3 is answered "No.")											
13	3. Environmental Protection Act. Submit in an Exhibit the following:									Exhibit	No.	
	a. If Certification Checklist Item 2 is answered "Yes," a brief explanation of why an Environmental Assessment is not required. Also describe in the Exhibit the steps that											

a. If **Certification Checklist** Item 2 is answered "Yes," a brief explanation of why an Environmental Assessment is not required. Also describe in the Exhibit the steps that will be taken to limit RF radiation exposure to the public and to persons authorized access to the tower site.

By checking "Yes" to **Certification Checklist** Item 2, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.

If **Certification Checklist** Item 2 is answered "No," an Environmental Assessment as required by 47 C.F.R. Section 1.1311.

PREPARER'S CERTIFICATION IN SECTION III MUST BE COMPLETED AND SIGNED.



STATEMENT OF JOHN E. HIDLE, P.E.
IN SUPPORT OF A REQUEST FOR
MODIFICATION OF
SPECIAL TEMPORARY AUTHORIZATION
BEDSTA-20060120AEG
DTV STATION
WSTR-DT - CINCINNATI, OHIO
CHANNEL 33 - 500 kW - 319 m HAAT

Permittee: WSTR Licensee, Inc.

I am a Consulting Engineer, an employee in the firm of Carl T. Jones Corporation, with offices located in Springfield, Virginia. My education and experience are a matter of record with the Federal Communications Commission. I am a registered Professional Engineer in the Commonwealth of Virginia, Registration No. 7418, and in the State of New York, Registration No. 63418.

GENERAL

WSTR Licensee, Inc., permittee of DTV station WSTR-DT, channel 33, Cincinnati, Ohio, has authorized this office to prepare this statement, the FCC Form 301 "tech box" and associated exhibits in support of a request, in accordance with policies set forth in the Commission's *Memorandum Opinion and Order on Reconsideration (MO&O)*¹, for modification of its current Special Temporary Authorization, BEDSTA20060120AEG, to operate with facilities different from those currently authorized and slightly different from those authorized in its construction permit, BPCDT-19991014ABC. The DTV facilities proposed herein differ from its current STA facilities in only one respect. The permittee

¹ Memorandum Opinion and Order on Reconsideration in MM Docket No. 00-39, 16 FCC Rcd 20594 (2001), paragraphs 34-36.

STATEMENT OF JOHN E. HIDLE, P.E. WSTR-DT - CINCINNATI, OHIO

PAGE 2

herein requests modification of its temporary authorization to operate with an ERP of 500

kW instead of 17.1 kW as currently authorized. No other change is requested. In order

to continue to meet its DTV service commitment, WSTR-DT's permittee seeks modification

of its current temporary authorization as herein requested.

In accordance with Commission policies, as stated in Public Notice DA 06-1255

(Notice)², released on June 14, 2006, regarding DTV stations on their current DTV channel,

but that are unable to precisely meet their applicable maximization requirements for

reasons such as the unavoidable use of a side-mounted DTV antenna, the permittee

intends to provide the documentation necessary to seek a waiver of the interference

protection deadline. The permittee also intends to submit, prior to the use-it-or-lose-it

deadline, an application for modification of its construction permit to specify an increase

in ERP sufficient to compensate for the unavoidable reduction in HAAT.

PROPOSED TECHNICAL PARAMETERS

Digital station WSTR-DT is authorized to operate with an Effective Radiated Power

of 500 kW at an antenna height above average terrain of 337 meters using an Andrew

directional antenna, model ATW30H3-HTC1-33S. The permittee has installed a substitute

Dielectric directional antenna, model TFU-24DSB-M (C) on its existing tower at a height

above ground of 266 meters. The permittee's current STA authorizes WSTR-DT to operate

with an ERP of 17.1 kW and at a HAAT of 319 meters. The permittee herein requests

² PUBLIC NOTICE: DTV Channel election Issues - Compliance with the July 1, 2006 Replication/ Maximization Interference Protection Deadline; Stations Seeking Extension of the Deadline. MB Docket No. 03-15, DA 06-1255, Released June 14, 2006.

Carl T. Jones Corporation

STATEMENT OF JOHN E. HIDLE, P.E.

WSTR-DT - CINCINNATI, OHIO

PAGE 3

modification of its current STA to authorize WSTR-DT to operate with 500 kW ERP. No

other change is herein requested.

The pertinent technical parameters are shown in the attached FCC Form 301 "tech

box". The currently authorized substitute antenna's azimuth and elevation patterns and

tabulations are shown in the attached exhibits one through five.

SUMMARY

It is submitted that the request for modification of Special Temporary Authorization,

as described herein, complies with the policies, rules and regulations of the Federal

Communications Commission. This statement, the FCC Form 301 "tech box" and the

associated exhibits were prepared by me or under my direct supervision and are believed

to be true and correct to the best of my knowledge and belief.

Dated: June 21, 2006

John E. Hidle Certificate No.



Proposal Number

Date Call Letters

Location Customer

Antenna Type

Revision

20 May 2002 Exhibit ONE WSTR-DT Channel 33

Cincinnati, OH

TFU-24DSB-M (C)

AZIMUTH PATTERN

RMS Gain at Main Lobe Calculated / Measured

1.90 (2.79 dB) Calculated

Frequency Drawing #

587 MHz DSB-M




Exhibit No. **TWO**



Date
Call Letters
Location
Customer

Antenna Type

WSTR-DT Channel Cincinnati, Ohio
WSTR Licensee, Inc.
TFU-24DSB-M (C)

29 Oct 2002

el **33**

٠,

TABULATION OF AZIMUTH PATTERN

Azimuth Pattern Drawing #

DSB-M

Angle	Field														
ő	0.940	45	0.546	90	0.184	135	0.178	180	0.599	225	0.977	270	0.918	315	0.930
1	0.934	46	0.536	91	0.187	136	0.180	181	0.608	226	0.981	271	0.916	316	0.932
2	0.927	47	0.527	92	0.190	137	0.182	182	0.617	227	0.984	272	0.914	317	0.935
3	0.920	48	0.517	93	0.194	138	0.185	183	0.626	228	0.987	273	0.912	318	0.937
4	0.913	49	0.507	94	0.198	139	0.189	184	0.635	229	0.990	274	0.910	319	0.940
5	0.906	50	0.497	95	0.202	140	0.194	185	0.644	230	0.993	275	0.908	320	0.942
6	0.898	51	0.487	96	0.207	141	0.200	186	0.653	231	0.995	276	0.907	321	0.945
7	0.890	52	0.477	97	0.211	142	0.206	187	0.662	232	0.996	277	0.905	322	0.948
8	0.882	53	0.467	98	0.216	143	0.214	188	0.671	233	0.998	278	0.904	323	0.951
9	0.874	54	0.457	99	0.221	144	0.221	189	0.680	234	0.999	279	0.903	324	0.954
10	0.865	55	0.446	100	0.226	145	0.229	190	0.688	235	1.000	280	0.901	325	0.958
11	0.857	56	0.436	101	0.231	146	0.238	191	0.697	236	1.000	281	0.900	326	0.961
12	0.848	57	0.425	102	0.235	147	0.248	192	0.706	237	1.000	282	0.899	327	0.964
13	0.839	58	0.414	103	0.240	148	0.257	193	0.715	238	1.000	283	0.899	328	0.967
14	0.830	59	0.403	104	0.244	149	0.267	194	0.724	239	0.999	284	0.898	329	0.971
15	0.821	60	0.392	105	0.247	150	0.278	195	0.733	240	0.998	285	0.897	330	0.974
16	0.812	61	0.381	106	0.250	151	0.289	196	0.742	241	0.997	286	0.897	331	0.977
17	0.803	62	0.370	107	0.253	152	0.300	197	0.751	242	0.996	287	0.896	332	0.980
18	0.794	63	0.358	108	0.255	153	0.311	198	0.760	243	0.994	288	0.896	333	0.983
19	0.784	64	0.347	109	0.256	154	0.322	199	0.769	244	0.992	289	0.896	334	0.985
20	0.775	65	0.335	110	0.257	155	0.334	200	0.778	245	0.990	290	0.895	335	0.988
21	0.766	66	0.324	111	0.256	156	0.346	201	0.788	246	0.987	291	0.897	336	0.990
22	0.757	67	0.313	112	0.255	157	0.357	202	0.797	247	0.985	292	0.898	337	0.992
23	0.748	68	0.302	113	0.253	158	0.369	203	0.807	248	0.982	293	0.900	338	0.993
24	0.739	69	0.291	114	0.251	159	0.381	204	0.816	249	0.979	294	0.901	339	0.994
25	0.730	70	0.280	115	0.248	160	0.393	205	0.826	250	0.976	295	0.902	340	0.995
26	0.720	71	0.270	116	0.245	161	0.404	206	0.835	251	0.973	296	0.904	341	0.996
27	0.711	72	0.260	117	0.241	162	0.415	207	0.845	252	0.970	297	0.905	342	0.996
28	0.702	73	0.250	118	0.236	163	0.427	208	0.854	253	0.967	298	0.906	343	0.996
29	0.693	74	0.241	119	0.232	164	0.438	209	0.863	254	0.964	299	0.907	344	0.996
30	0.684	75	0.232	120	0.227	165	0.449	210	0.873	255	0.960	300	0.908	345	0.995
31	0.675	76	0.224	121	0.222	166	0.460	211	0.882	256	0.957	301	0.910	346	0.993
32	0.666	77	0.216	122	0.217	167	0.470	212	0.890	257	0.954	302	0.911	347	0.992
33	0.657	78	0.209	123	0.212	168	0.481	213	0.899	258	0.951	303	0.912	348	0.990
34	0.648	79	0.203	124	0.207	169	0.491	214	0.907	259	0.947	304	0.913	349	0.988
35	0.639	80	0.197	125	0.202	170	0.502	215	0.916	260	0.944	305	0.914	350	0.985
36	0.630	81	0.192	126	0.198	171	0.512	216	0.923	261	0.941	306	0.916	351	0.982
37	0.620	82	0.188	127	0.194	172	0.522	217	0.931	262	0.938	307	0.917	352	0.979
38	0.611	83	0.184	128	0.190	173	0.532	218	0.938	263	0.935	308	0.918	353	0.975
39	0.602	84	0.182	129	0.186	174	0.542	219	0.945	264	0.933	309	0.920	354	0.971
40	0.593	85	0.180	130	0.183	175	0.552	220	0.951	265	0.930	310	0.921	355	0.967
41	0.583	86	0.179	131	0.181	176	0.561	221	0.957	266	0.927	311	0.923	356	0.962
42	0.574	87	0.179	132	0.179	177	0.571	222	0.963	267	0.925	312	0.925	357	0.957
43	0.565	88	0.180	133	0.178	178	0.580	223	0.968	268	0.922	313	0.926	358	0.952
44	0.555	89	0.182	134	0.178	179	0.590	224	0.972	269	0.920	314	0.928	359	0.946



Proposal Number

Date

Call Letters Location

Customer Antenna Type Revision

20 May 2002 **Exhibit THREE WSTR-DT** 33 Channel

Cincinnati, OH

TFU-24DSB-M (C)

ELEVATION PATTERN

RMS Gain at Main Lobe RMS Gain at Horizontal Calculated / Measured


24.0 (13.80 dB) 11.9

Beam Tilt (10.76 dB)

Frequency Calculated Drawing #

1.00 Degrees 587.00 MHz

24B240100





Proposal Number

Date

Customer

Antenna Type

20 May 2002 Call Letters

Location

WSTR-DT

Exhibit FOUR 33 Channel

Revision

Cincinnati, OH

TFU-24DSB-M (C)

ELEVATION PATTERN

RMS Gain at Main Lobe RMS Gain at Horizontal Calculated / Measured

24.0 (13.80 dB) 11.9


Calculated

(10.76 dB)

Beam Tilt Frequency Drawing #

1.00 Degrees 587.00 MHz

24B240100





Date Call Letters

Location
Customer

Customer Antenna Type 11 Oct 2002

WSTR-DT Channel

Ohio

33

Cincinnati, Ohio WSTR Licensee, Inc. TFU-24DSC-R C170

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #

24Q190075-90

Angle	Field										
-10.0	0.184	2.4	0.584	10.6	0.111	30.5	0.028	51.0	0.050	71.5	0.017
-9.5	0.190	2.6	0.511	10.8	0.110	31.0	0.025	51.5	0.064	72.0	0.015
-9.0	0.206	2.8	0.442	11.0	0.111	31.5	0.011	52.0	0.076	72.5	0.013
-8.5	0.227	3.0	0.378	11.5	0.119	32.0	0.012	52.5	0.084	73.0	0.011
-8.0	0.241	3.2	0.322	12.0	0.132	32.5	0.036	53.0	0.088	73.5	0.008
-7.5	0.236	3.4	0.274	12.5	0.136	33.0	0.055	53.5	0.090	74.0	0.007
-7.0	0.204	3.6	0.235	13.0	0.120	33.5	0.067	54.0	0.088	74.5	0.008
-6.5	0.148	3.8	0.203	13.5	0.083	34.0	0.071	54.5	0.086	75.0	0.012
-6.0	0.081	4.0	0.180	14.0	0.034	34.5	0.069	55.0	0.083	75.5	0.016
-5.5	0.022	4.2	0.162	14.5	0.016	35.0	0.065	55.5	0.080	76.0	0.020
-5.0	0.012	4.4	0.150	15.0	0.050	35.5	0.062	56.0	0.079	76.5	0.024
-4.5	0.007	4.6	0.142	15.5	0.063	36.0	0.063	56.5	0.079	77.0	0.028
-4.0	0.028	4.8	0.137	16.0	0.054	36.5	0.070	57.0	0.080	77.5	0.031
-3.5	0.072	5.0	0.134	16.5	0.029	37.0	0.081	57.5	0.083	78.0	0.034
-3.0	0.094	5.2	0.132	17.0	0.002	37.5	0.096	58.0	0.085	78.5	0.036
-2.8	0.090	5.4	0.130	17.5	0.022	38.0	0.110	58.5	0.088	79.0	0.037
-2.6	0.077	5.6	0.128	18.0	0.031	38.5	0.120	59.0	0.089	79.5	0.038
-2.4	0.058	5.8	0.125	18.5	0.028	39.0	0.123	59.5	0.089	80.0	0.038
-2.2	0.049	6.0	0.121	19.0	0.018	39.5	0.118	60.0	0.086	80.5	0.038
-2.0	0.077	6.2	0.117	19.5	0.011	40.0	0.105	60.5	0.082	81.0	0.038
-1.8	0.134	6.4	0.112	20.0	0.011	40.5	0.088	61.0	0.075	81.5	0.037
-1.6	0.206	6.6	0.108	20.5	0.024	41.0	0.068	61.5	0.067	82.0	0.035
-1.4	0.288	6.8	0,106	21.0	0.052	41.5	0.051	62.0	0.057	82.5	0.033
-1.2	0.377	7.0	0.105	21.5	0.085	42.0	0.039	62.5	0.046	83.0	0.031
-1.0	0.470	7.2	0.106	22.0	0.114	42.5	0.034	63.0	0.036	83.5	0.029
-0.8	0.564	7.4	0.109	22.5	0.133	43.0	0.032	63.5	0.025	84.0	0.026
-0.6	0.656	7.6	0.112	23.0	0.137	43.5	0.034	64.0	0.016	84.5	0.024
-0.4	0.742	7.8	0.115	23.5	0.128	44.0	0.037	64.5	0.009	85.0	0.021
-0.2	0.819	8.0	0.118	24.0	0.111	44.5	0.040	65.0	0.003	85.5	0.018
0.0	0.885	8.2	0.119	24.5	0.095	45.0	0.041	65.5	0.002	86.0	0.015
0.2	0.937	8.4	0.119	25.0	0.084	45.5	0.038	66.0	0.003	86.5	0.013
0.4	0.975	8.6	0.119	25.5	0.079	46.0	0.032	66.5	0.004	87.0	0.010
0.6	0.996	8.8	0.118	26.0	0.079	46.5	0.023	67.0	0.002	87.5	0.008
8.0	1.000	9.0	0.117	26.5	0.082	47.0	0.013	67.5	0.000	88.0	0.006
1.0	0.988	9.2	0.116	27.0	0.086	47.5	0.005	68.0	0.003	88.5	0.004
1.2	0.960	9.4	0.116	27.5	0.086	48.0	0.003	68.5	0.006	89.0	0.002
1.4	0.919	9.6	0.115	28.0	0.076	48.5	0.004	69.0	0.010	89.5	0.001
1.6	0.865	9.8	0.115	28.5	0.057	49.0	0.001	69.5	0.013	90.0	0.000
1.8	0.802	10.0	0.115	29.0	0.030	49.5	0.008	70.0	0.015		***************************************
2.0	0.733	10.2	0.114	29.5	0.005	50.0	0.020	70.5	0.017		
2.2	0.659	10.4	0.113	30.0	0.019	50.5	0.035	71.0	0.017		

Approved by OMB 3060-0589 Page <u>1</u> of <u>1</u>

FEDERAL COMMUNICATIONS COMMISSION REMITTANCE ADVICE

(1) LOCKBOX #			S	PECIAL USE ONLY					
358165			F	CC USE ONLY					
330103	SECTION A	- PAYER INFORMATIO	N						
(2) PAYER NAME (if paying by credit card				UNT PAID (U.S. Dollars and cents)					
Sinclair Broadcast Gro	oup, Inc.		\$150.00						
(4) STREET ADDRESS LINE NO. 1 C/O Pillsbury Winthrop Shaw Pittman LLP, Attn. K. Schmeltzer									
c/o Pillsbury Winthrop (5) STREET ADDRESS LINE NO. 2	Shaw Pittman LLP,	Attn. K. Schm	eltzer						
2300 N Street, N.W.									
(6) CITY			(7) STATE	(8) ZIP CODE					
Washington			DC	20037					
(9) DAYTIME TELEPHONE NUMBER (in	nclude area code)	(10) COUNTRY C	(10) COUNTRY CODE (if not in U.S.A.)						
(202) 663-8217									
	FCC REGISTRATION	ON NUMBER (FRN) RE							
(11) PAYER (FRN)		(12) FCC USE ON	ILY						
0004331096									
COMPLETE SE	IF MORE THAN ONE APPLICANT CTION BELOW FOR EACH SERVICE	T, USE CONTINUATION CE, IF MORE BOXES AF	SHEETS (FORM) RE NEEDED, USE (159-C) CONTINUATION SHEET					
(13) APPLICANT NAME		,							
WSTR Licensee, Inc.									
(14) STREET ADDRESS LINE NO. 1									
c/o Pillsbury Winthrop	Shaw Pittman LLP,	Attn. K. Schm	eltzer						
(15) STREET ADDRESS LINE NO. 2									
2300 N Street, N.W.				L(10) AID CODE					
(16) CITY			(17) STATE	(18) ZIP CODE					
Washington (19) DAYTIME TELEPHONE NUMBER (ii	nalvda araa aada)	(20) COUNTRY	DC 20037 Y CODE (if not in U.S.A.)						
(202) 663-8217	icitude area code)	(20) COUNTRI	c.o ii not ii o.s.)					
(202) 003-0217	FCC REGISTRATI	ION NUMBER (FRN) RE	COURED						
(21) APPLICANT (FRN)		(22) FCC USE Of							
0007691959									
COMPLETE	SECTION C FOR EACH SERVICE,	IF MORE BOXES ARE	NEEDED, USE CO	NTINUATION SHEET					
(23A) CALL SIGN/OTHER ID	(24A) PAYMENT TYPE COD	ÞΕ	(25A) QUANTITY						
WSTR-DT	MGT		1						
(26A) FEE DUE FOR (PTC)	(27A) TOTAL FEE		FCC USE ONLY						
\$150	1.00	\$150	.00						
(28A) FCC CODE I 11204		(29A) FCC CODE 2							
(23b) CALL SIGN/OTHER ID	(24B) PAYMENT TYPE COD)E	(25B) QU	ANTITY					
(230) CALL SIGNOTHER ID	(24B) MI MBAT TITE COD	,,,	(252) Q0						
(26B) FEE DUE FOR (PTC)	(27B) TOTAL FEE		FCC USE	ONLY					
(28B) FCC CODE I	1	(29B) FCC CODE 2							
	SECTIO	N D - CERTIFICATION							
CERTIFICATION STATEMENT									
I, the best of my knowledge, information and b	, certify v	under penalty of perjury that	t the foregoing and si	upporting information is true and correct to					
SIGNATURE									
	SECTION E - CREDI	IT CARD PAYMENT INF	ORMATION						
	MASTERCARD VISA	AMEX	DISCOVER _						
ACCOUNT NUMBER		FYDID ATIC	ON DATE						
I hereby authorize the FCC to charge my cre	dit card for the service(s) authorization he	erein described.							
SIGNATURE			DATE						

Sinclair Broadcast Group, Inc. 10706 Beaver Dam Rd Cockeysville, MD 21030

Wachovia Bank, N.A. Silver Spring, Maryland 20900

Check No. 115001981

마음과 등에 마다면 가는 가는 아이들이 아니라 아내는 사람들이 되었다. 그는 사람들이 아니라 하는 아니라 하는 사람들이 되었다. 그 아니라

VENDOR NO	DATE	AMOUNT
431	16-JUN-06	\$*******150.00
	the second subject to the factor of the	

To The Order Of WASHINGTON, DC

Authorized Signature

115001981# 1:255072935::2079900105432#